

AVA5RK-50, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 7/8 in, black non-halogenated, fire retardant polyolefin jacket B2ca-sla, d2,al (CPR testing is conducted annually please reference the website for latest classification)

#### **Product Classification**

Product Type Coaxial wireless cable

Product Brand HELIAX®
Product Series AVA5-50

General Specifications

**Product Number** 520097502/00 | SZ520097502/00

Flexibility Standard

Jacket Color Black

Performance Note Attenuation values typical, guaranteed within 5%

Specification Sheet Revision Level

**Dimensions** 

Diameter Over Dielectric24.13 mm | 0.95 inDiameter Over Jacket27.94 mm | 1.1 inInner Conductor OD9.449 mm | 0.372 in

Outer Conductor OD 25.4 mm | 1 in

Nominal Size 7/8 in

**Electrical Specifications** 

**Cable Impedance** 50 ohm ±1 ohm

**Capacitance** 73.2 pF/m | 22.311 pF/ft

dc Resistance, Inner Conductor1.435 ohms/km | 0.437 ohms/kftdc Resistance, Outer Conductor1.116 ohms/km | 0.34 ohms/kft

dc Test Voltage 6000 V

COMMSCOPE®

 $\label{eq:local_$ 

**Insulation Resistance** 100000 MOhms-km

Jacket Spark Test Voltage (rms) 8000 V

**Operating Frequency Band** 1 – 5000 MHz

Peak Power91 kWVelocity91 %

### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
680-800 MHz	1.13	24.3
800-960 MHz	1.13	24.3
1700-2200 MHz	1.13	24.3

### Attenuation

Frequency (MHz)	Attenuation (dB/100 m)	Attenuation (dB/100 ft)	Average Power (kW)
1.0	0.113	0.034	74.43
1.5	0.138	0.042	60.73
2.0	0.16	0.049	52.56
10.0	0.359	0.11	23.37
20.0	0.51	0.156	16.46
30.0	0.627	0.191	13.39
50.0	0.814	0.248	10.32
85.0	1.068	0.326	7.86
88.0	1.088	0.332	7.72
100.0	1.162	0.354	7.23
108.0	1.209	0.368	6.95
150.0	1.433	0.437	5.86
174.0	1.548	0.472	5.43
200.0	1.665	0.507	5.05
204.0	1.682	0.513	4.99
300.0	2.059	0.628	4.08
400.0	2.398	0.731	3.5
450.0	2.553	0.778	3.29
460.0	2.583	0.787	3.25
500.0	2.7	0.823	3.11

Page 2 of 5



512.0	2.735	0.834	3.07
600.0	2.977	0.907	2.82
700.0	3.235	0.986	2.6
800.0	3.478	1.06	2.42
824.0	3.534	1.077	2.38
894.0	3.694	1.126	2.27
960.0	3.841	1.171	2.19
1000.0	3.927	1.197	2.14
1218.0	4.377	1.334	1.92
1250.0	4.44	1.353	1.89
1500.0	4.912	1.497	1.71
1700.0	5.268	1.605	1.59
1794.0	5.429	1.655	1.55
1800.0	5.439	1.658	1.54
2000.0	5.771	1.759	1.46
2100.0	5.933	1.808	1.42
2200.0	6.091	1.856	1.38
2300.0	6.247	1.904	1.34
2500.0	6.55	1.996	1.28
2700.0	6.845	2.086	1.23
3000.0	7.272	2.217	1.15
3400.0	7.819	2.383	1.07
3600.0	8.083	2.464	1.04
3700.0	8.213	2.503	1.02
3800.0	8.342	2.542	1.01
3900.0	8.47	2.581	0.99
4000.0	8.596	2.62	0.98
4100.0	8.722	2.658	0.96
4200.0	8.846	2.696	0.95
4300.0	8.969	2.734	0.94
4400.0	9.092	2.771	0.92
4500.0	9.213	2.808	0.91
4600.0	9.333	2.845	0.9
4700.0	9.453	2.881	0.89
4800.0	9.572	2.917	0.88

**4900.0** 9.689 2.953 0.87 **5000.0** 9.806 2.989 0.86

Material Specifications

**Dielectric Material** Foam PE

Jacket Material Non-halogenated, fire retardant polyolefin

Inner Conductor Material Copper tube

Outer Conductor Material Corrugated copper

Mechanical Specifications

Minimum Bend Radius, multiple Bends254 mm | 10 inMinimum Bend Radius, single Bend127 mm | 5 in

Number of Bends, minimum 15 Number of Bends, typical 30

 Tensile Strength
 159 kg | 350.535 lb

 Bending Moment
 19 N-m | 168.164 in lb

 Flat Plate Crush Strength
 1.3 kg/mm | 72.797 lb/in

## **Environmental Specifications**

Installation temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+140 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature $68 \,^{\circ}\text{F}$  |  $20 \,^{\circ}\text{C}$ Average Power, Ambient Temperature $104 \,^{\circ}\text{F}$  |  $40 \,^{\circ}\text{C}$ Average Power, Inner Conductor Temperature $212 \,^{\circ}\text{F}$  |  $100 \,^{\circ}\text{C}$ 

EN50575 CPR Cable EuroClass Fire PerformanceB2caEN50575 CPR Cable EuroClass Smoke Ratings1aEN50575 CPR Cable EuroClass Droplets Ratingd2EN50575 CPR Cable EuroClass Acidity Ratinga1

Fire Retardancy Test Method IEC 60332-1-2 | NFPA 130-2010 | UL 1666/CATVR/CMR

Smoke Index Test Method IEC 61034

**Toxicity Index Test Method** IEC 60754-1 | IEC 60754-2

Packaging and Weights

**COMMSCOPE®** 

**Cable weight** 0.53 kg/m | 0.356 lb/ft

## Regulatory Compliance/Certifications

Agency Classification

CENELEC EN 50575 compliant, Declaration of Performance (DoP) available

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant
UK-ROHS Compliant
UL/ETL Certification CATVR/CMR









