## 400PUM



#### UHF Male for CNT-400 braided cable

### **Product Classification**

Product Type Braided cable connector

Product Brand CNT®

General Specifications

**Body Style** Straight

Inner Contact Attachment Method Solder

Inner Contact Plating Silver

**Interface** UHF Male

Outer Contact Attachment Method Clamp

**Outer Contact Plating** Trimetal

**Pressurizable** No

**Dimensions** 

**Width** 22.35 mm | 0.88 in


**Length** 46.1 mm | 1.815 in

**Diameter** 22.35 mm | 0.88 in

Nominal Size 0.405 in

Outline Drawing





### **Electrical Specifications**

Insertion Loss, typical	0.05 dB
IIISEI IIOII LOSS, LYDICAI	0.00 ub

Average Power at Frequency 580.0 W @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage1500 VInner Contact Resistance, maximum6 mOhmInsulation Resistance, minimum5000 MOhm

**Operating Frequency Band** 0 – 1000 MHz

Outer Contact Resistance, maximum9 mOhmRF Operating Voltage, maximum (vrms)500 V

### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-300 MHz	1.433	14.99
300-600 MHz	1.433	14.99
600-1000 MHz	1.671	12

Mechanical Specifications

**Connector Retention Tensile Force** 330 N | 74.187 lbf

COMMSC PE°

## 400PUM

**Connector Retention Torque** 0.56 N-m | 4.956 in lb | 0.75 N-m | 6.638 in lb

**Coupling Nut Proof Torque** 1.7 N-m | 15.046 in lb

Interface Durability 500 cycles

Interface Durability Method IEC 61169-12:9.5

Mechanical Shock Test Method IEC 60068-2-27

### **Environmental Specifications**

**Operating Temperature**  $-40 \, ^{\circ}\text{C} \text{ to } +85 \, ^{\circ}\text{C} \, (-40 \, ^{\circ}\text{F to } +185 \, ^{\circ}\text{F})$ 

**Storage Temperature**  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$   $(-85 \,^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F})$ 

Attenuation, Ambient Temperature  $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$  Average Power, Ambient Temperature  $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$ 

**Average Power, Inner Conductor Temperature** 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 73 g | 0.161 lb

### Regulatory Compliance/Certifications

#### Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system
REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant







# 400PUM

**Insertion Loss, typical** 0.05v<sup>-</sup>freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

