## A6FHF-S



#### 4.3-10 Female for 1-1/4 in AVA6-50 cable

#### **Product Classification**

Product Type Wireless and radiating connector

Product Brand HELIAX®

Product Series AVA6-50 | AVA6RK-50

General Specifications

Body Style Straight

Cable Family AVA6-50

**Harmonized System (HS) Code** 85366910 (Coaxial cable and other coaxial electric conductors)

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 4.3-10 Female

 Outer Contact Attachment Method
 Clamp

 Outer Contact Plating
 Trimetal

Dimensions

 Length
 89 mm | 3.504 in


 Diameter
 51.2 mm | 2.016 in

Nominal Size 1-1/4 in

Outline Drawing



# A6FHF-S



### **Electrical Specifications**

**3rd Order IMD at Frequency** -117 dBm @ 1800 MHz

**3rd Order IMD Test Method** Two +43 dBm carriers

**Insertion Loss Coefficient, typical** 0.05

Cable Impedance50 ohmConnector Impedance50 ohm

**Operating Frequency Band** 0 – 4000 MHz

### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-1000 MHz	1.106	25.96
1000-2200 MHz	1.106	25.96
2200-3000 MHz	1.135	23.98

## Mechanical Specifications

**Coupling Nut Proof Torque** 10 N-m | 88.507 in lb

Interface Durability Method IEC 61169-4:9.5

Mechanical Shock Test Method IEC 60068-2-27



## A6FHF-S

#### **Environmental Specifications**

**Operating Temperature**  $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$ 

**Storage Temperature**  $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$ 

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FCorrosion Test MethodIEC 60068-2-11

**Immersion Depth** 1 m

Immersion Test Mating Mated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 288 g | 0.635 lb

#### Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

