L1TSM-PL



SMA Male Positive Lock for 1/4 in LDF1-50 cable

Product Classification

Product TypeWireless and radiating connector

Product Brand HELIAX®
Product Series LDF1-50

General Specifications

Body StyleStraightCable FamilyLDF1-50Inner Contact Attachment MethodCaptivatedInner Contact PlatingGold

Interface SMA Male

Mounting Angle Straight

Outer Contact Attachment Method Self-flare

Outer Contact Plating Trimetal

Pressurizable No

Dimensions

 Height
 16 mm | 0.63 in

 Width
 16 mm | 0.63 in

 Length
 40.64 mm | 1.6 in


 Diameter
 16 mm | 0.63 in

Nominal Size 1/4 in

Outline Drawing



_1TSM-PL



Electrical Specifications

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 1000 V

Inner Contact Resistance, maximum 3 m0hm

Insulation Resistance, minimum 5000 MOhm 0 - 13500 MHz

Outer Contact Resistance, maximum 2.5 m0hm

Peak Power, maximum 5 kW RF Operating Voltage, maximum (vrms) 500 V **Shielding Effectiveness** -110 dB

VSWR/Return Loss

Operating Frequency Band

Frequency Band	VSWR	Return Loss (dB)
0-960 MHz	1.02	40.09
960-2200 MHz	1.029	36.9
2200-2700 MHz	1.029	36.9

COMMSCOPE®

L1TSM-PL

2700-4000 MHz	1.046	32.96
4000-6000 MHz	1.111	25.58
6000-8000 MHz	1.152	23.02
8000-10000 MHz	1.22	20.4
10000-12000 MHz	1.28	18.4
12000-13500 MHz	1.41	15.4

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force 449.27 N | 101 lbf

Coupling Nut Proof Torque1.7 N-m | 15.046 in lbCoupling Nut Retention Force266.98 N | 60.02 lbf

Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Insertion Force 22.02 N | 4.95 lbf
Insertion Force Method IEC 61169-1:15.2.4

Interface Durability 500 cycles

Interface Durability Method IEC 61169-15:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FAverage Power, Inner Conductor Temperature100 °C | 212 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6



L1TSM-PL

Packaging and Weights

Weight, net 34.16 g | 0.075 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



* Footnotes

Insertion Loss Coefficient, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

