7663065-0001 | ION-U H 9/18P/21P/26-Vac-M2



ION-U $\ensuremath{\mathbb{R}}$ High Power Remote Unit for CEL 900, DCS 1800, IMT 2100 and IMT 2600 Band Applications

OBSOLETE

Product Classification	
Product Type	Remote unit
Product Brand	ION-U®
General Specifications	
Note	Detailed Product Specifications are available. Please contact your local CommScope representative.
Power Class	High
Electrical Specifications	
Impedance	50 ohm
License Band	CEL 900 DCS 1800 IMT 2100 IMT 2600
Voltage Range	100 to 240 Vac
Electrical Specifications, Rx (Uplink)	
Operating Frequency Band	1710 – 1785 MHz (DCS 1800) 1920 – 1980 MHz (IMT 2100) 2500 – 2570 MHz (IMT 2600) 880 – 915 MHz (CEL 900)
Wavelength	1310 nm 1550 nm
Electrical Specifications, Tx (Downlink)	
Operating Frequency Band	1805 – 1880 MHz (DCS 1800) 2110 – 2170 MHz (IMT 2100) 2620 – 2690 MHz (IMT 2600) 925 – 960 MHz (CEL 900)
Output Power per Antenna Port	
Note	* 66 dBc @ 2 and 4 carriers 63 dBc @ 8 carriers 60 dBc @ 16 carriers ** For carrier bandwidth < 5 MHz output power shall be reduced by 2 dB

Page 1 of 2

©2023 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: August 22, 2023



Page 2 of 2

©2023 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: August 22, 2023

COMMSCOPE°